Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

MetaBrand
25 progress st
Edison, NJ 08820

SAMPLE INFORMATION

Sample No.: 1439124
Product Name: Lemon - Monterey
Matrix: Edible (Beverage)
Lot #: L-260723-1

Date Collected: 08/27/2026
Date Received: 08/27/2026
Date Reported: 09/17/2026

TEST SUMMARY

Cannabinoid Profile: Pass
Heavy Metal Screen: Pass
Mycotoxin Screen: Pass
Microbiological Screen: Pass
Foreign Material: Pass

Cannabinoid Profile Pass

09/17/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g

Cannabinoid	mg/g	mg/ml	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND	ND	-
Δ9-THC	0.0277	0.0280	0.00277	4.97	9.94	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-
THCV	ND	ND	ND	ND	ND	-
THCVA	ND	ND	ND	ND	ND	-
CBD	ND	ND	ND	ND	ND	-
CBDA	ND	ND	ND	ND	ND	-
CBC	ND	ND	ND	ND	ND	-
CBCA	ND	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	ND	-
CBG	ND	ND	ND	ND	ND	-
CBGA	ND	ND	ND	ND	ND	-
CBN	ND	ND	ND	ND	ND	-
Total THC	0.0277	0.0280	0.00277	4.97	9.94	-
Total CBD	ND	ND	ND	ND	ND	-
Total Cannabinoids	0.0277	0.0280	0.00277	4.97	9.94	-
Sum of Cannabinoids	0.0277	0.0280	0.00277	4.97	9.94	-
Serving Weight (g)	179.346					
Package Weight (g)	358.692					
g/ml Conversion Factor	1.0104					

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): Cannabinoid Profile was performed on subsequently submitted sample (1443367).

Microbiological Screen Pass

09/01/2026

Analyte	Instrument	Findings	Units	Status
Coliforms	-	0/10	cfu/g	Pass
E. coli	-	Not Detected	/1g	Pass
Salmonella	Molecular Detection Assay	Not Detected/25g	/1g	Pass
STEC	Molecular Detection Assay	Not Detected/25g	/1g	Pass
Total Yeast and Mold	-	0/10	cfu/g	-

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Heavy Metal Screen ✔ Pass

08/28/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

Foreign Material ✔ Pass

08/28/2026

Method: MF-CHEM-7

Regulatory Standard* DCC

Analyte	Findings	Limit*	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen ✔ Pass

08/28/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by

Vu Lam
Lab Co Director

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.